



Made in Switzerland



\* Lid and Scoop made from 60% sugar cane, a renewable plant based source

# S-26<sup>®</sup>

## GOAT MILK



اس-٢٦<sup>®</sup>  
حليب الماعز

NET WT.  
الوزن الصافي  
380 G جم

Breast milk is best for babies  
حليب الأم هو الأفضل غذاء لطفلك

# 3

STAGE

FROM 1-3 YEARS  
GROWING-UP FORMULA  
BASED ON GOAT'S MILK

من ١-٣ سنوات  
تركيبة لمرحلة نمو الأطفال  
تعتمد على حليب الماعز

Made in Switzerland



\* Lid and Scoop made from 60% sugar cane, a renewable plant based source

# S-26<sup>®</sup>

## GOAT MILK



اس-٢٦<sup>®</sup>  
حليب الماعز

NET WT.  
الوزن الصافي  
380 G جم

Breast milk is best for babies  
حليب الأم هو الأفضل غذاء لطفلك

# 3

STAGE

FROM 1-3 YEARS  
GROWING-UP FORMULA  
BASED ON GOAT'S MILK

من ١-٣ سنوات  
تركيبة لمرحلة نمو الأطفال  
تعتمد على حليب الماعز

# S-26 Goat Milk - Is It a Good Option for Your Child?

S-26

PRODUCT

Buy now

## GOATS WERE ONE OF THE FIRST DOMESTICATED FARM ANIMALS



DOMESTICATED 10,000 YEARS AGO<sup>2</sup> Goats are stronger farm animals that can adapt to desert, mountainous, and tropical areas where other livestock species would not thrive.<sup>2</sup>

## GOAT MILK HAS A LONG HISTORY OF USE AND CONTINUES TO BE POPULAR TODAY



Preferred choice in the **Middle East**<sup>3</sup>



**Approved by EFSA, 2012** as a suitable protein source for infant and follow-on formulae<sup>4</sup>

**EFSA:**European Food Safety Authority

## IS GOAT MILK GOOD FOR YOUR BABY? Goat milk has several unique

# characteristics that can make it a gentle and nutritious alternative source of milk.<sup>5-8</sup>

- ❌ Easy-to-digest<sup>5-6</sup>
- ❌ Brain development<sup>5</sup>
- ❌ Stronger immunity<sup>5</sup>
- ❌ Less allergenic\*<sup>6-7</sup>
- ❌ High level of important nutrients<sup>6, 8</sup>
- ❌

A recent survey conducted shows around 42% mothers are likely to switch to Goat milk<sup>9</sup>

## NATURE ENHANCED BY SCIENCE



High quality easy-to-digest protein with essential vitamins, minerals and nutrients to support healthy growth<sup>7,20,27</sup>



A naturally occurring probiotic in breast milk with proven benefits<sup>10-13</sup> **Boosts Immunity<sup>10-13</sup> Gut Friendly<sup>10-13</sup>**



An essential nutrient that helps support **brain and eye development**<sup>14,15</sup>



90% of our goat milk originates from **Austria and Netherlands**<sup>16</sup>



Use of high-quality goats of selective breeds: Saanen goats-white\*<sup>16</sup> \*Saanen goat milk has higher oligosaccharide content



World renowned for producing **premium products**

  
Buy Now

## ***S-26<sup>®</sup> GOAT MILK 3 IS THE FIRST AND ONLY GOAT MILK WITH PROBIOTIC L. REUTERI***



### **BOOSTS IMMUNITY**

Promotes immunity by regulating immune cells<sup>10-13</sup>



### **SUPPORTS GUT COMFORT**

Promotes healthy gut flora, maintains intestinal barrier and helps reduce gastrointestinal symptoms<sup>10-13</sup>

## ***L. REUTERI IN S-26<sup>®</sup> GOAT MILK 3 MAY HELP TO STRENGTHEN IMMUNITY AND GUT HEALTH***



# ***S-26<sup>®</sup> GOAT MILK 3* CONTAINS A NATURALLY EASY-TO-DIGEST GOAT MILK PROTEIN, THAT IS CLOSER TO HUMAN MILK IN DIGESTIBILITY<sup>21</sup>**

## **Digestion Efficiency**



## **HIGH LEVELS OF DHA IN S26<sup>®</sup> GOAT MILK 3 SUPPORTS BRAIN AND VISUAL DEVELOPMENT**



Improves **mental development**<sup>14</sup>



Supports **future learning**<sup>14,23</sup>



Supports **visual development & acuity**<sup>15,22</sup>



Supports achievement of **language & motor milestones**<sup>23</sup>

## ***GOAT MILK* CONTAINS ADDITIONAL INGREDIENTS THAT OFFER BENEFITS TO THE BABY**

1 Unique  
Oil Mix



2 Prebiotic  
Oligosaccharides



# Preparation methods

## How to prepare S-26® GOAT MILK 3?

1



Wash your hands before preparing baby's formula.



Wash cup thoroughly until no milk remains.



Boil for 5 minutes, leave covered until use.



Boil drinking water for 5 minutes; allow to cool until luke warm.



Consult feeding table, pour exact amount of lukewarm water into the cup.



Use only the scoop from this container. Powder must be leveled.



Consult feeding table, add exact number of level scoops into cup.



Stir until powder completely dissolves. To be consumed within 1 hour.



Close tin tightly after each use & store it in a cool & dry place. Must be used within 3 weeks after opening.

**Warning:** Unboiled water, unboiled cups or incorrect dilution can make your child ill. Incorrect storage, handling, preparation and feeding can potentially lead to adverse effects for the health of your child.

## Serving Methods



**IMPORTANT NOTICE:** We believe that breastfeeding is the ideal nutritional start for babies and we fully support the World Health Organizations recommendation of exclusive breastfeeding for the first six months of life followed by the introduction of adequate nutritious complementary foods along with continued breastfeeding up to two years of age. **S-26 GOAT MILK STAGE 3** is not a breast-milk substitute. We recommend that you speak to your healthcare professional about how to feed your baby and seek advice on when to introduce this product.

**REFERENCES:** 2. Teletchea F. Animal Domestication. Intech Open. June 7th 2019. 3. Miller BA, et al. Asian-Australas J Anim Sci. 2019;32(8):1219-1232. 4. EFSA Journal 2012;10(3):2603. 5. Gallier S, et al. Nutrients. 2020;12(11):3486. 6. Lad S, et al. Int. J. Curr. Microbiol. App.Sci. 2017;6(5):1781-1792. 7. Park YW. CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources. 2007;81(2):11-19. 8. Prosser CG. Journal of Food Science. 2021;86(2):257-265. 9. Data on file, Wyeth Nutrition (Consumer Insights #consumer survey slides). 10. Mu Q, et al. Front Microbiol. 2018;9:757. 11. Sinkiewicz G, et al. Microbial Ecology in Health and Disease. 2008;20(3):122-126. 12. Romano C, et al. J Paediatr Child Health. 2014;50(10):E68-71. 13. Savino F, et al. Pediatrics. 2007;119(1):e124-e130. 14. Birch EE, et al. Dev Med Child Neurol. 2000;42(3):174-81. 15. Birch EE, et al. Am J Clin Nutr. 2010;91(4):848-59. 16. Data on file (2020-11-24 Goat Pres Nestle). 17. Indrio F, et al. JAMA Pediatr. 2014 Mar;168(3):228-33. 18. Gutierrez-Castrellon P, et al. Pediatrics. 2014;133:e904-e909. 19. Almaas et al. International dairy journal. 2006;16:961-968. 20. Jung TH, et al. Korean J Food Sci Anim Resour. 2017;37(6):940-947. 21. Maathuis A, et al. J Pediatr Gastroenterol Nutr. 2017;65(6):661-666. 22. Hoffman DR, et al. J Pediatr Gastroenterol Nutr. 2000;31(5):540-53. 23. Agostoni C, et al. Am J Clin Nutr. 2009 Jan;89(1):64-70. 24. Barnett AM, et al. Nutrients. 2016;8(5):267. 25. Leong A, et al. Br J Nutr. 2019;122(4):441-449. 26. Van Leeuwen SS, et al. J Agric Food Chem. 2020;68(47):13469-13485. 27. Ho S, et al. Eur J Clin Nutr. 2014 Sep;68(9):994-1000