

S-26
GOAT MILK

3

Nature
enhanced by
science

1st & ONLY
GOAT MILK
WITH **probiotic**



Made in Switzerland

S-26
GOAT MILK


اس-٢٦
حليب الماعز

3 STAGE

FROM 1-3 YEARS
ENRICHED-UP FORMULA
BASED ON GOAT'S MILK

NET WT.
380 G

NET WT.
380 G



Made in Switzerland



* Lid and Scoop made from 60% sugar cane, a renewable plant based source

S-26[®]
GOAT MILK



اس-٢٦[®]
حليب الماعز

3 **STAGE**

FROM 1-3 YEARS
GROWING-UP FORMULA
BASED ON GOAT'S MILK

من ١-٣ سنوات
تركيبة لمرحلة نمو الأطفال
تعتمد على حليب الماعز

NET WT.
الوزن الصافي
380 G جم

Breast milk is best for babies
حليب الأم هو أفضل غذاء لطفلك

SW

Made in Switzerland



* Lid and Scoop made from 60% sugar cane, a renewable plant based source

S-26[®]
GOAT MILK



اس-26[®]
حليب الماعز

3 STAGE

FROM 1-3 YEARS
GROWING-UP FORMULA
BASED ON GOAT'S MILK

من 1-3 سنوات
تركيبة لمرحلة نمو الأطفال
تعتمد على حليب الماعز

NET WT.
الوزن الصافي
380 G جم

Breast milk is best for babies
حليب الأم هو أفضل غذاء لطفلك

SW

S-26 Goat Milk - Is It a Good Option for Your Child?

S-26

PRODUCT

Buy now

GOATS WERE ONE OF THE FIRST DOMESTICATED FARM ANIMALS



DOMESTICATED 10,000 YEARS AGO² Goats are stronger farm animals that can adapt to desert, mountainous, and tropical areas where other livestock species would not thrive.²

GOAT MILK HAS A LONG HISTORY OF USE AND CONTINUES TO BE POPULAR TODAY



Preferred choice in the **Middle East**³



Approved by EFSA, 2012 as a suitable protein source for infant and follow-on formulae⁴

EFSA:European Food Safety Authority

IS GOAT MILK GOOD FOR YOUR BABY? Goat milk has several unique

characteristics that can make it a gentle and nutritious alternative source of milk.⁵⁻⁸

- ✘ Easy-to-digest⁵⁻⁶
- ✘ Brain development⁵
- ✘ Stronger immunity⁵
- ✘ Less allergenic*⁶⁻⁷
- ✘ High level of important nutrients^{6, 8}
- ✘

A recent survey conducted shows around 42% mothers are likely to switch to Goat milk⁹

NATURE ENHANCED BY SCIENCE



High quality easy-to-digest protein with essential vitamins, minerals and nutrients to support healthy growth^{7,20,27}



A naturally occurring probiotic in breast milk with proven benefits¹⁰⁻¹³ **Boosts Immunity¹⁰⁻¹³ Gut Friendly¹⁰⁻¹³**



An essential nutrient that helps support **brain and eye development**^{14,15}



90% of our goat milk originates from **Austria and Netherlands**¹⁶



Use of high-quality goats of selective breeds: Saanen goats-white*¹⁶ *Saanen goat milk has higher oligosaccharide content



World renowned for producing **premium products**


Buy Now

S-26[®] GOAT MILK 3 IS THE FIRST AND ONLY GOAT MILK WITH PROBIOTIC L. REUTERI



BOOSTS IMMUNITY

Promotes immunity by regulating immune cells¹⁰⁻¹³



SUPPORTS GUT COMFORT

Promotes healthy gut flora, maintains intestinal barrier and helps reduce gastrointestinal symptoms¹⁰⁻¹³

L. REUTERI IN S-26[®] GOAT MILK 3 MAY HELP TO STRENGTHEN IMMUNITY AND GUT HEALTH



S-26[®] GOAT MILK 3 CONTAINS A NATURALLY EASY-TO-DIGEST GOAT MILK PROTEIN, THAT IS CLOSER TO HUMAN MILK IN DIGESTIBILITY²¹

Digestion Efficiency



HIGH LEVELS OF DHA IN S26[®] GOAT MILK 3 SUPPORTS BRAIN AND VISUAL DEVELOPMENT



Improves **mental development**¹⁴



Supports **future learning**^{14,23}



Supports **visual development & acuity**^{15,22}



Supports achievement of **language & motor milestones**²³

GOAT MILK CONTAINS ADDITIONAL INGREDIENTS THAT OFFER BENEFITS TO THE BABY

1 Unique
Oil Mix



2 Prebiotic
Oligosaccharides



Preparation methods

How to prepare S-26[®] GOAT MILK 3?

1



Wash your hands before preparing baby's formula.



Wash cup thoroughly until no milk remains.



Boil for 5 minutes, leave covered until use.



Boil drinking water for 5 minutes; allow to cool until luke warm.



Consult feeding table, pour exact amount of lukewarm water into the cup.



Use only the scoop from this container. Powder must be leveled.



Consult feeding table, add exact number of level scoops into cup.



Stir until powder completely dissolves. To be consumed within 1 hour.



Close tin tightly after each use & store it in a cool & dry place. Must be used within 3 weeks after opening.

Warning: Unboiled water, unboiled cups or incorrect dilution can make your child ill. Incorrect storage, handling, preparation and feeding can potentially lead to adverse effects for the health of your child.

Serving Methods



IMPORTANT NOTICE: We believe that breastfeeding is the ideal nutritional start for babies and we fully support the World Health Organizations recommendation of exclusive breastfeeding for the first six months of life followed by the introduction of adequate nutritious complementary foods along with continued breastfeeding up to two years of age. **S-26 GOAT MILK STAGE 3** is not a breast-milk substitute. We recommend that you speak to your healthcare professional about how to feed your baby and seek advice on when to introduce this product.

REFERENCES: 2. Teletchea F. Animal Domestication. Intech Open. June 7th 2019. 3. Miller BA, et al. Asian-Australas J Anim Sci. 2019;32(8):1219-1232. 4. EFSA Journal 2012;10(3):2603. 5. Gallier S, et al. Nutrients. 2020;12(11):3486. 6. Lad S, et al. Int. J. Curr. Microbiol. App.Sci. 2017;6(5):1781-1792. 7. Park YW. CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources. 2007;81(2):11-19. 8. Prosser CG. Journal of Food Science. 2021;86(2):257-265. 9. Data on file, Wyeth Nutrition (Consumer Insights #consumer survey slides). 10. Mu Q, et al. Front Microbiol. 2018;9:757. 11. Sinkiewicz G, et al. Microbial Ecology in Health and Disease. 2008;20(3):122-126. 12. Romano C, et al. J Paediatr Child Health. 2014;50(10):E68-71. 13. Savino F, et al. Pediatrics. 2007;119(1):e124-e130. 14. Birch EE, et al. Dev Med Child Neurol. 2000;42(3):174-81. 15. Birch EE, et al. Am J Clin Nutr. 2010;91(4):848-59. 16. Data on file (2020-11-24 Goat Pres Nestle). 17. Indrio F, et al. JAMA Pediatr. 2014 Mar;168(3):228-33. 18. Gutierrez-Castrellon P, et al. Pediatrics. 2014;133:e904-e909. 19. Almaas et al. International dairy journal. 2006;16:961-968. 20. Jung TH, et al. Korean J Food Sci Anim Resour. 2017;37(6):940-947. 21. Maathuis A, et al. J Pediatr Gastroenterol Nutr. 2017;65(6):661-666. 22. Hoffman DR, et al. J Pediatr Gastroenterol Nutr. 2000;31(5):540-53. 23. Agostoni C, et al. Am J Clin Nutr. 2009 Jan;89(1):64-70. 24. Barnett AM, et al. Nutrients. 2016;8(5):267. 25. Leong A, et al. Br J Nutr. 2019;122(4):441-449. 26. Van Leeuwen SS, et al. J Agric Food Chem. 2020;68(47):13469-13485. 27. Ho S, et al. Eur J Clin Nutr. 2014 Sep;68(9):994-1000