




S-26 Gold Milk - Complete Nutrition for Your Child

S-26

PRODUCT

S 26 Milk - Complete Nutrition for Your Child

Early childhood is a crucial period for learning and development as basic ways of thinking, responding, and solving problems are established.¹⁻³ At this stage, you will notice your toddler's ability to walk then run, express himself, and use his imagination.^{3,4} Behind these milestones are billions of neural connections forming in his brain which, along with his healthy physical growth, enable him to embrace and learn from every new encounter.⁵ Providing proper nutrition and stimulation at this critical time will positively impact how his brain and body develops, setting the stage for his learning and success, now and into the future.^{6,7} **S-26 GOLD 3, the FIRST & ONLY** formula enriched with α lipids for faster brain connections and enhanced learning abilities, helping your child to analyze and understand faster.



Ollipids™ FOR FASTER BRAIN CONNECTIONS AND ENHANCED LEARNING ABILITIES, HELPING YOUR CHILD TO ANALYZE AND UNDERSTAND FASTER⁸⁻¹¹
 Nutrition that supports fast brain connections can help in improving:



S-26 GOLD 3 is enriched with nutrients needed for fast brain connections to support your child's developing brain.*



An essential nutrient for optimal brain & visual development^{17,18}



An essential nutrient that helps support brain & memory development^{19,20}




May supports normal development of the eye^{21,22}

CRITICAL MENTAL AND PHYSICAL MILESTONES*

IN CHILDREN LESS THAN 5 YEARS ARE IMPORTANT²

Cognitive/ mental milestones² Physical/ motor milestones²

Year 1  Starts to use things correctly (e.g., drinks from a cup, brushes hair) Gets to a sitting position without help

Year 2  Begins to sort shapes and colors Can kick a ball

Year 3  Can assemble puzzles with 3 or 4 pieces Runs easily

Year 4  Starts to understand time Catches a bounced ball most of the time

Year 5  Says name and address Can do a somersault

Nutrition plays a vital role in overall well-being and helps to achieve these milestones²³

*Every child is different and will develop at his or her own pace.

S-26[®] GOLD 3 OFFERS KEY NUTRIENTS NEEDED FOR OPTIMUM MENTAL DEVELOPMENT

 Brain development

 Visual development

 Supports brain development¹²⁻¹⁴ and improve mental processing speed^{15,16}

 Facilitates cognitive function²⁴ and normal development of visual function²⁵

 Important for nerve cell membranes and myelination^{26,27}

 Improves mental development index²⁹

 Improves cognitive test scores³⁰

 Required for brain growth³¹

 Amino acid required for brain growth^{28, 21}

 Amino acid required for brain growth²⁷



S-26[®] GOLD 3 OFFERS KEY NUTRIENTS NEEDED FOR OPTIMUM PHYSICAL DEVELOPMENT AND IMMUNITY

Helps in growth and tissue maintenance³²

✖ Promotes normal growth and visual function, as well as healthy skin and tissue repair³³

✖ Regulates the absorption of minerals like calcium³³

✖ Necessary for healthy bone development³⁴

✖ Helps in production of blood and the building of muscles³⁵

✖ Increases resistance to infection^{36,37}

✖ Acts as an antioxidant, and boosts immune system³⁸

✖ Helps in many biological functions such as growth and immune function^{36,37}

✖ May help fight viruses³⁹

*High quality whey protein



HOW TO PREPARE?

Follow these easy mixing instructions for recommended serving size. Prepare S-26[®] GOLD 3 using only the enclosed scoop.

S-26[®] GOLD 3

Per serving size of 240 mL/ 3 servings per day.

✖ 7 scoops (42g powder)

✖ 210 mL lukewarm water

✖ 240 mL



1

Wash your hands before preparing the milk.



2

Boil drinking water for five minutes. Allow to cool until lukewarm.



3

Mix approximately 39g of powder (3 heaping tablespoons) with 210 mL (7 fl. oz.) of previously



4

Stir until powder is fully dissolved.



5

Serve 2 glasses per day.

WARNING

Unboiled water or incorrect dilution can make your child ill. Incorrect storage, handling, preparation and feeding can potentially lead to adverse effects on the health of your child.

Prepare only one serving at a time and follow the instructions exactly. Make sure your child consumes the milk immediately. Do not keep unfinished milk, discard the contents.

Using more or less powder than indicated could either lead to dehydration or deprive your child of proper nutrition. Do not change proportions without medical advice.

S-26[®] GOLD 3 AND S-26[®] GOLD 4 ARE NUTRITIONALLY SUPERIOR AND HOLISTIC COMPARED TO COW MILK AND MILK POWDERS*



*Data per serving, 240 mL

Locator loading...

References: 1. UNICEF, WHO. Facts for Life | UNICEF.; 2010. Accessed October 27, 2021. <https://www.unicef.org/reports/facts-for-life> 2. Centers for Disease Control and Prevention. CDC's Developmental Milestones | CDC. Accessed October 27, 2021. https://www.cdc.gov/ncbddd/actearly/pdf/parents_pdfs/milestonemomentsen... 3. Early childhood development | UNICEF. Accessed October 27, 2021. <https://www.unicef.org/early-childhood-development> 4. Santrok JW. Child

Development. 13th ed. McGraw-Hill; 2011. 5. Sakai J. How synaptic pruning shapes neural wiring during development and, possibly, in disease. *Proc Natl Acad Sci U S A*. 2020;117(28):16096-16099. doi:10.1073/pnas.2010281117 6. Forbes TA, Gallo V. All Wrapped Up: Environmental Effects on Myelination. *Trends Neurosci*. 2017;40(9):572-587. doi:10.1016/j.tins.2017.06.009 7. What are the most important changes in the brain after birth? • ZERO TO THREE. Accessed October 27, 2021. <https://www.zerotothree.org/resources/1379-what-are-the-most-important-...> 8. Stiles J, Jernigan TL. The basics of brain development. *Neuropsychol Rev*. 2010;20(4):327-348. doi:10.1007/s11065-010-9148-4 9. Ortiz E, Pasquini JM, Thompson K, et al. Effect of manipulation of iron storage, transport, or availability on myelin composition and brain iron content in three different animal models. *J Neurosci Res*. 2004;77(5):681-689. doi:10.1002/jnr.20207 10. Georgie MK. Nutrition and the developing brain: Nutrient priorities and measurement. In: *American Journal of Clinical Nutrition*. Vol 85. Am J Clin Nutr; 2007. doi:10.1093/ajcn/85.2.614S 11. O'Brien JS, Sampson EL, Brien O', et al. Fatty acid and fatty aldehyde composition of the major brain lipids in normal human gray matter, white matter, and myelin*. *J Lipid Res*. 1965;6:545-551. doi:10.1016/S0022-2275(20)39620-6 12. Cilla A, Diego Quintaes K, Barberá R, Alegría A. Phospholipids in Human Milk and Infant Formulas: Benefits and Needs for Correct Infant Nutrition. *Crit Rev Food Sci Nutr*. 2016;56(11):1880-1892. doi:10.1080/10408398.2013.803951 13. Schneider N, J H, M O, et al. Sphingomyelin in Brain and Cognitive Development: Preliminary Data. *eNeuro*. 2019;6(4). doi:10.1523/ENEURO.0421-18.2019 14. Fields RD. White matter in learning, cognition and psychiatric disorders. *Trends Neurosci*. 2008;31(7):361-370. doi:10.1016/j.tins.2008.04.001 15. Yan J, Wiedeman AM, Grathwohl D, Lamers Y. Dietary choline-containing phospholipids are associated with cognitive performance in school-aged children. In: *ESPGHAN*. ; 2019. 16 Catani M, Allin MPG, Husain M, et al. Symmetries in human brain language pathways correlate with verbal recall. *Proc Natl Acad Sci U S A*. 2007;104(43):17163-17168. doi:10.1073/pnas.0702116104 17. Birch EE, Carlson SE, Homan DR, et al. The DIAMOND (DHA Intake and Measurement of Neural Development) Study: A double-masked, randomized controlled clinical trial of the maturation of infant visual acuity as a function of the dietary level of docosahexaenoic acid. *Am J Clin Nutr*. 2010;91(4):848-859. doi:10.3945/ajcn.2009.28557 18. Birch EE, Garfield S, Homan DR, Uauy R, Birch DG. A randomized controlled trial of early dietary supply of long-chain polyunsaturated fatty acids and mental development in term infants. *Dev Med Child Neurol*. 2000;42(3):174-181. doi:10.1017/S0012162200000311 19. Naber M, Hommel B, Colzato LS. Improved human visuomotor performance and pupil constriction after choline supplementation in a placebo-controlled double-blind study. *Sci Reports* 2015 51. 2015;5(1):1-9. doi:10.1038/srep13188 20. Cheatham CL, Sheppard KW. Synergistic Effects of Human Milk Nutrients in the Support of Infant Recognition Memory: An Observational Study. *Nutr* 2015, Vol 7, Pages 9079-9095. 2015;7(11):9079-9095. doi:10.3390/NU7115452 21. Alves-Rodrigues A, Shao A. The science behind lutein. *Toxicol Lett*. 2004;150(1):57-83. doi:10.1016/j.toxlet.2003.10.031 22. Vishwanathan R, Kuchan M.J., Johnson E.J. *ACTA BIOLOGICA CRACOVENSIA SERIES BOTANICA* 16 th International Symposium on Carotenoids Towards a Brighter Side of Life. 2011;53:29. Accessed October 27, 2021. <http://www.ib.uj.edu.pl/abc/abc.htm> 23. Centers for Disease Control and Prevention. Childhood Nutrition Facts | Healthy Schools | CDC. Accessed October 27, 2021.

<https://www.cdc.gov/healthyschools/nutrition/facts.htm> 24. Drover JR, Homan DR, Castañeda YS, et al. Cognitive function in 18-month-old term infants of the DIAMOND study: A randomized, controlled clinical trial with multiple dietary levels of docosahexaenoic acid. *Early Hum Dev.* 2011;87(3):223-230. doi:10.1016/j.earlhumdev.2010.12.047 25. Lien EL, Hammond BR. Nutritional influences on visual development and function. *Prog Retin Eye Res.* 2011;30(3):188-203. doi:10.1016/j.preteyeres.2011.01.001 26. Food and Nutrition Board I of M. Dietary Reference Intakes for Thiamin, Riboflavin, Niacin, Vitamin B6, Folate, Vitamin B12, Pantothenic Acid, Biotin, and Choline. *Diet Ref Intakes Thiamin, Riboflavin, Niacin, Vitam B6, Folate, Vitam B12, Pantothenic Acid, Biot Choline.* Published online June 15, 1998. doi:10.17226/6015 27. Morita J, Kano K, Kato K, et al. Structure and biological function of ENPP6, a choline-specific glycerophosphodiester-phosphodiesterase. *Sci Reports* 2016 61. 2016;6(1):1-14. doi:10.1038/srep20995 28. Bettler J, Zimmer JP, Neuringer M, Derusso PA. Serum lutein concentrations in healthy term infants fed human milk or infant formula with lutein. *Eur J Nutr.* 2010;49(1):45-51. doi:10.1007/s00394-009-0047-5 29. Oski FA, Honig AS. The effects of therapy on the developmental scores of iron-deficient infants. *J Pediatr.* 1978;92(1):21-25. doi:10.1016/S0022-3476(78)80063-8 30. Zimmermann MB, Connolly K, Bozo M, Bridson J, Rohner F, Grimci L. Iodine supplementation improves cognition in iodine-deficient schoolchildren in Albania: A randomized, controlled, double-blind study. *Am J Clin Nutr.* 2006;83(1):108-114. doi:10.1093/ajcn/83.1.108 31. Singh M. Nutrition, brain and environment: how to have smarter babies? - PubMed. *Indian Pediatr.* 2003;40(3):213-220. 32. Marshall K. Therapeutic Applications of Whey Protein. *Altern Med Rev.* 1996;9. 33. Riccioni G, D'Orazio N, Menna V, Lorenzo A De. Fat Soluble Vitamins and Immune System: An Overview: <http://dx.doi.org/10.1177/1721727X0300100202>. 2016;1(2):59-64. doi:10.1177/1721727X0300100202 34. Flynn A. The role of dietary calcium in bone health. *Proc Nutr Soc.* 2003;62(4):851-858. doi:10.1079/pns2003301 35. Iron | The Nutrition Source | Harvard T.H. Chan School of Public Health. Accessed October 27, 2021. <https://www.hsph.harvard.edu/nutritionsource/iron/> 36. Wintergerst ES, Maggini S, Hornig DH. Immune-enhancing role of Vitamin C and zinc and effect on clinical conditions. *Ann Nutr Metab.* 2006;50(2):85-94. doi:10.1159/000090495 37. Maggini S, Wenzla S, Hornig D. Essential role of vitamin c and zinc in child immunity and health. *J Int Med Res.* 2010;38(2):386-414. doi:10.1177/147323001003800203 38. Vitamin E - Consumer. Accessed October 27, 2021. <https://ods.od.nih.gov/factsheets/VitaminE-Consumer/> 39. Rayman MP. The importance of selenium to human health. *Lancet.* 2000;356(9225):233-241. doi:10.1016/S0140-6736(00)02490-9 40. Deoni S, Dean D, Joelson S, O'Regan J, Schneider N. Early nutrition influences developmental myelination and cognition in infants and young children. *Neuroimage.* 2018;178:649-659. doi:10.1016/j.neuroimage.2017.12.056 41. Nave KA, Werner HB. Myelination of the nervous system: Mechanisms and functions. In: *Annual Review of Cell and Developmental Biology.* Vol 30. *Annu Rev Cell Dev Biol;* 2014:503-533. doi:10.1146/annurev-cellbio-100913-013101 42. Shaer D.R., Kipp K. *Developmental Psychology: Childhood and Adolescence* - David R. Shaer, Katherine Kipp - Google Books. 9th ed.; 2013. Accessed October 27, 2021. <https://books.google.ae/books?hl=en&lr=&id=qTgLAAAAQBAJ&oi=fnd&pg=PP1&dq=er+DR,+et+al.+Developmental+Psychology.+9th+ed.+2013&ots=m704H5dik->

&sig=2chVU qC491aayMdHn7yeGAteN5A&redir_esc=y#v=onepage&q&f=false 43. Saher G, Brügger B, Lappe-Siefke C, et al. High cholesterol level is essential for myelin membrane growth. *Nat Neurosci.* 2005;8(4):468-475. doi:10.1038/nn1426 44. Chida N, Hirono H, Arakawa T. Effects of Dietary Folate Deficiency on Fatty Acid Composition of Myelin Cerebroside in Growing Rats. *Tohoku J exp Med.* 1972;108(3):219-224. 45. Calder PC. Functional Roles of Fatty Acids and Their Effects on Human Health. *J Parenter Enter Nutr.* 2015;39(1 Suppl):18S-32S. doi:10.1177/0148607115595980 46. Innis SM. Dietary (n-3) fatty acids and brain development. *J Nutr.* 2007;137(4):855-859. doi:10.1093/jn/137.4.855 47. Lozo B, Georgie MK. Iron Deficiency and Brain Development. *Semin Pediatr Neurol.* 2006;13(3):158-165. doi:10.1016/j.spen.2006.08.004

Important Notice:

We believe that breastfeeding is the ideal nutritional start for babies, and we fully support the World Health Organizations recommendation of exclusive breastfeeding for the first six months of life followed by the introduction of adequate nutritious complementary food along with continued breastfeeding up to years of age.

(S-26 GOLD 3, S-26 GOLD 4, S-26 Ultima 3, S-26 GOAT Milk 3, Illuma 3) is not a breast-milk substitute. We recommend that you speak to your healthcare professional about how to feed your baby and seek advice on when to introduce this product.