

**HELP SUPPORT  
YOUR CHILD'S  
DEVELOPING  
IMMUNITY WITH  
ILLUMA<sup>®</sup> 3**



الوما  
illumina®



3

From 1-3 years  
من ١ - ٣ سنوات

حليب الأم هو أفضل غذاء لطفلك  
تركيبة لمرحلة نمو الأطفال  
تعتمد على حليب البقر

Breastmilk is best for babies  
Growing-Up Formula  
Based on Cow's Milk

100g  
100g

الوما  
illumina®



3

From 1-3 years  
من ١ - ٣ سنوات

حليب الأم هو أفضل غذاء لطفلك  
تركيبة لمرحلة نمو الأطفال  
تعتمد على حليب البقر

Breastmilk is best for babies  
Growing-Up Formula  
Based on Cow's Milk

100g  
100g

# Illuma 3 Milk - For Your Child's Growth and Development

ILLUMA 3

PRODUCT

Buy now

## Illuma Milk - Nourishing Your Child's Growth and Development

Children are vulnerable to infection during early childhood because their immune systems are not yet fully developed.<sup>1</sup> The early years are an important time of **growth and development**<sup>2-4</sup>, and as a parent you will want to boost your child's immunity at this critical time. Nutrition is one way you can do this.

A **healthy gut** contributes to a **healthy immune system**<sup>5</sup>, which means that by providing proper nutrition you can strengthen your child's immunity, and give them the inner defenses they need to combat infections and **grow up strong and healthy**.<sup>6</sup>

ILLUMA<sup>®</sup> provides nutrition that is **closer to nature** with breakthrough innovations in all three major nutrient groups—carbohydrates, fats and proteins—to provide stronger immunity along with healthy digestion and growth.<sup>7-18</sup>

*Strengthens* IMMUNITY<sup>8-12</sup> 

*Support* DIGESTIVE HEALTH<sup>11,12</sup> 

*Promote* HEALTHY GROWTH<sup>13-16-18</sup> 



## THE NEW AND UPGRADED ILLUMA<sup>®</sup>

### The ONLY FORMULA WITH INNOVATIONS IN ALL

# THREE MACRONUTRIENTS<sup>7</sup>

BuyNow

## THE FIRST AND ONLY GROWING-UP MILK WITH\*

The **bioactive<sup>+</sup> complex** in illuma<sup>®</sup> 3 is a combination of three molecular structures found in mother's milk; incorporating human milk oligosaccharides (HMOs: a family of complex milk sugars)<sup>20</sup>, sn-2 palmitate (body-friendly fat molecular structure)<sup>21</sup>, and alphasialalbumin (alpha-protein, the predominant human whey protein).<sup>22</sup>

The HMOs in Illuma<sup>®</sup> are also a breakthrough in their class, since they represent not just one, but all three families of HMOs.<sup>7,23,24</sup> This means your baby will benefit from each type of HMO, maximizing their immune protection in the vulnerable early years of life.<sup>8,11,12,20,25,26</sup>

\*Bioactive+ Complex: 2'-fucosyllactose (2'-FL), Lacto-N-neotetraose (LNnT), Milk-derived oligosaccharides, sn-2 palmitate and Alpha-lactalbumin.

 *Protection FROM GEMS*<sup>8</sup>

 *Growth of BENEFICIAL BACTERIA*<sup>11-27</sup>

 *Strengthened IMMUNITY*<sup>12-14</sup>

## ILLUMA<sup>®</sup> 3 WITH IS ENRICHED WITH NUTRIENTS TO SUPPORT IMMUNITY, DIGESTION, AND GROWTH.



- Less lung and gut infections.<sup>12,14</sup>
- Reduced use of antibiotics.<sup>12</sup>
- Healthy growth.<sup>10</sup>



- Stronger, healthier bones.<sup>9,15</sup>
- Better sleep.<sup>17</sup>

- Softer stools that are easier to pass.<sup>15</sup>



- Better digestion.<sup>22</sup>
- Gentle on the tummy.<sup>28</sup>
- Healthy growth.<sup>18</sup>

## **ILLUMA<sup>®</sup> 3 IS SUCROSE-FREE AND LACTOSE-RICH**

### **. Lactose<sup>29</sup> .**

- Improves digestion of minerals such as calcium.
- Supports the growth of good bacteria in the gut (prebiotic activity).
- Provides natural sweetness.
- Low glycemic index

### **. Sucrose<sup>30</sup> .**

- Can trigger hypersensitivity to sweetness.
- Linked to childhood obesity.
- Baby bottle decay and dental caries.

---

**HOW TO PREPARE? Follow these easy mixing instructions for recommended serving size.**

**Prepare illuma<sup>®</sup> 3 using only the enclosed scoop.**


**ILLUMA<sup>®</sup> 3 Per serving size 150ml / 3 servings per day.**

 *5 scoops (23.6g powder)*

 *130 mL lukewarm water*

 *150 mL*

 *1 Wash your hands before preparing the milk.*

 *2 Boil drinking water for five minutes. Allow to cool for no more than 30 minutes*

- ❌ 3 Mix approximately 23.6g of powder (5 scoops) with 130 mL (4.4 fl. oz.) of previously boiled lukewarm water
- ❌ 4 Stir until powder is fully dissolved.
- ❌ 5 Serve 3 glasses per day.

## WARNING

Unboiled water or incorrect dilution can make your child ill. Incorrect storage, handling, preparation and feeding can potentially lead to adverse effects on the health of your child.

Prepare only one serving at a time and follow the instructions exactly. Make sure your child consumes the milk immediately. Do not keep unfinished milk, discard the contents.

Using more or less powder than indicated could either lead to dehydration or deprive your child of proper nutrition. Do not change proportions without medical advice.

## ILLUMA<sup>®</sup> 3: COMMITTED TO PROTECTING THE PLANET FOR FUTURE GENERATIONS



As a parent, you want to know that you are doing all you can for your child's future. Illuma<sup>®</sup> 3 is proud to support you in this mission. Only Illuma<sup>®</sup> 3 offers all new sustainable and modern packaging for improved consumer confidence.

- Tamper-proof domed lid
- User-friendly spoon docking after first use
- Material identification included on the lid
- 'Unlocked' laser coding for clear indication
- Inner and outer sealing to preserve quality
- Pre-cut on lid for easy lid removal for recycling
- Packaging designed to be recyclable
- Reduced carbon emission from our factories

Locator loading...

**References:** **1.** Simon AK, Hollander GA, McMichael A. Evolution of the immune system in humans from infancy to old age. Proc R Soc B Biol Sci. 2015;282(1821). doi:10.1098/rspb.2014.3085 **2.** UNICEF, WHO. Facts for Life | UNICEF.; 2010.

Accessed October 27, 2021. <https://www.unicef.org/reports/facts-for-life> **3.** Bier D. Growth in the first two years of life. In: Nestle Nutrition Workshop Series: Pediatric Program. Vol 61. Nestle Nutr Workshop Ser Pediatr Program; 2008:135-142. doi:10.1159/000113364 **4.** Huelke DF. An Overview of Anatomical Considerations of Infants and Children in the Adult World of Automobile Safety Design. *Annu Proc / Assoc Adv Automot Med.* 1998;42:93. Accessed October 3, 2021. [/pmc/articles/PMC3400202/](#) **5.** Tanaka M, Nakayama J. Development of the gut microbiota in infancy and its impact on health in later life. *Allergol Int.* 2017;66(4):515-522. doi:10.1016/j.alit.2017.07.010 **6.** Jones KDJ, Berkley JA, Warner JO. Perinatal nutrition and immunity to infection. *Pediatr Allergy Immunol.* 2010;21(4 Pt 1):564. doi:10.1111/J.1399-3038.2010.01002.X **7.** Wyeth Nutrition. Illuma Labelling Information. Published online 2021. **8.** Estorninos E. Term infant formula supplemented with bovine milk-derived oligosaccharides improves intestinal immune defense. In: FASEB Science Research Conferences Nutritional Immunology and the Microbiota: Rules of Engagement in Health and Disease. ; 2018. **9.** Kennedy K, Fewtrell MS, Morley R, et al. Double-blind, randomized trial of a synthetic triacylglycerol in formula-fed term infants: Effects on stool biochemistry, stool characteristics, and bone mineralization. *Am J Clin Nutr.* 1999;70(5):920-927. doi:10.1093/ajcn/70.5.920 **10.** Marriage BJ, Buck RH, Goehring KC, Oliver JS, Williams JA. Infants Fed a Lower Calorie Formula with 2 FL Show Growth and 2 FL Uptake Like Breast-Fed Infants. *J Pediatr Gastroenterol Nutr.* 2015;61(6):649-658. doi:10.1097/MPG.0000000000000889 **11.** Estorninos, E., Capeding, M.R., Yan, J., Berger, B., Lebumfacil, J., Yao M. Term infant formula supplemented with bovine milk-derived oligosaccharides shifts stool microbiota closer to that of breastfed infants. In: ESPGHAN 52nd Annual Meeting. ; 2019:994-995. **12.** Puccio G, Alliet P, Cajozzo C, et al. Effects of infant formula with human milk oligosaccharides on growth and morbidity: A randomized multicenter trial. In: *Journal of Pediatric Gastroenterology and Nutrition.* Vol 64. Lippincott Williams and Wilkins; 2017:624-631. doi:10.1097/MPG.0000000000001520 **13.** Goehring KC, Marriage BJ, Oliver JS, Wilder JA, Barrett EG, Buck RH. Similar to those who are breastfed, infants fed a formula containing 2'-fucosyllactose have lower inflammatory cytokines in a randomized controlled trial. *J Nutr.* 2016;146(12):2559-2566. doi:10.3945/jn.116.236919 **14.** Morrow AL, Ruiz-Palacios GM, Altaye M, et al. Human milk oligosaccharides are associated with protection against diarrhea in breast-fed infants. *J Pediatr.* 2004;145(3):297-303. doi:10.1016/j.jpeds.2004.04.054 **15.** Nowacki J, Lee H-C, Lien R, et al. Stool fatty acid soaps, stool consistency and gastrointestinal tolerance in term infants fed infant formulas containing high sn-2 palmitate with or without oligofructose: a double-blind, randomized clinical trial. *Nutr J* 2014 131. 2014;13(1):1-11. doi:10.1186/1475-2891-13-105 **16.** Yao M, Lien EL, Capeding MRZ, et al. Effects of term infant formulas containing high sn-2 palmitate with and without oligofructose on stool composition, stool characteristics, and bifidogenicity. *J Pediatr Gastroenterol Nutr.* 2014;59(4):440-448. doi:10.1097/MPG.0000000000000443 **17.** Bar-Yoseph F, Lifshitz Y, Cohen T, et al. SN2-Palmitate Improves Crying and Sleep in Infants Fed Formula with Prebiotics: A Double-Blind Randomized Clinical Trial. Published online 2017. doi:10.4172/2090-7214.1000263 **18.** Trabulsi J, Capeding R, Lebumfacil J, et al. Effect of an -lactalbumin-enriched infant formula with lower protein on growth. *Eur J Clin Nutr.* 2011;65(2):167. doi:10.1038/EJCN.2010.236 **19.** Wyeth Nutrition. Market Research: Illuma Bioactive+ Complex Recipe vs. Competition



Analysis, (KSA & UAE).; 2021. **20.** Bode L. Human milk oligosaccharides: Every baby needs a sugar mama. *Glycobiology*. 2012;22(9):1147-1162. doi:10.1093/glycob/cws074 **21.** Havlicekova Z, Jesenak M, Banovcin P, Kuchta M. Beta-palmitate - A natural component of human milk in supplemental milk formulas. *Nutr J*. 2016;15(1). doi:10.1186/s12937-016-0145-1 **22.** Layman DK, Lönnerdal B, Fernstrom JD. Applications for  $\alpha$ -lactalbumin in human nutrition. *Nutr Rev*. 2018;76(6):444-460. doi:10.1093/nutrit/nuy004 **23.** Hegar B, Wibowo Y, Basrowi RW, et al. The role of two human milk oligosaccharides, 2'-fucosyllactose and lacto-N-neotetraose, in infant nutrition. *Pediatr Gastroenterol Hepatol Nutr*. 2019;22(4):330-340. doi:10.5223/pghn.2019.22.4.330 **24.** Estorninos E, Lawenko RB, Palestroque E, Lebumfacil J, Marko M, Cercamondi CI. Infant formula containing bovine milk-derived oligosaccharides supports age-appropriate growth and improves stooling pattern. *Pediatr Res*. Published online 2021. doi:10.1038/s41390-021-01541-3 **25.** Kunz C, Rudlo S, Baier W, Klein N, Strobel S. Oligosaccharides in human milk: Structural, functional, and metabolic aspects. *Annu Rev Nutr*. 2000;20:699-722. **26.** Newburg DS, Ruiz-Palacios GM, Morrow AL. Human milk glycans protect infants against enteric pathogens. *Annu Rev Nutr*. 2005;25:37-58. **27.** Steenhout P, Sperisen P, Martin F-P, et al. Term Infant Formula Supplemented with Human Milk Oligosaccharides (2Fucosyllactose and Lacto-N-neotetraose) Shifts Stool Microbiota and Metabolic Signatures Closer to that of Breastfed Infants. *FASEB J*. 30:275.7-275.7. doi:10.1096/FASEBJ.30.1\_SUPPLEMENT.275.7 **28.** Davis AM, Harris BJ, Lien EL, Pramuk K, Trabulsi J. -Lactalbumin-rich infant formula fed to healthy term infants in a multicenter study: Plasma essential amino acids and gastrointestinal tolerance. *Eur J Clin Nutr*. 2008;62(11):1294-1301. doi:10.1038/sj.ejcn.1602848 **29.** Koletzko B, Baker S, Cleghorn G, et al. Global standard for the composition of infant formula: Recommendations of an ESPGHAN coordinated international expert group. *J Pediatr Gastroenterol Nutr*. 2005;41(5):584-599. doi:10.1097/01.MPG.0000187817.38836.42 **30.** Caplan L.S., Erwin K. Does Sugar in Infant Formula Cause Early Childhood Caries? *Arch Paediatr Dev Pathol*. 2017;1(3):1014.

### Important Notice:

We believe that breastfeeding is the ideal nutritional start for babies, and we fully support the World Health Organizations recommendation of exclusive breastfeeding for the first six months of life followed by the introduction of adequate nutritious complementary food along with continued breastfeeding up to years of age.

(S-26 GOLD 3, S-26 GOLD 4, S-26 Ultima 3, S-26 GOAT Milk 3, Illuma 3) is not a breast-milk substitute. We recommend that you speak to your healthcare professional about how to feed your baby and seek advice on when to introduce this product.